

Revision of list of the import prohibited plants (Annexed table 2 of the Ordinance for Enforcement of the Plant Protection Act)

Note: Underlined regions/countries or plants will be added. Strikethrough regions/countries or plants will be deleted.

Item No	Region/countries	Plants	Quarantine pests
1	<p>[Middle East] Yemen, Israel, <u>Iraq</u>, Iran, Saudi Arabia, Syria, Turkey, Jordan, Lebanon,</p> <p>[Europe] Albania, Italy, <u>Ukraine</u>, <u>British Channel Islands</u>, Austria, Netherlands, Republic of North Macedonia, Cyprus, Greece, Croatia, Kosovo, Switzerland, Spain, Slovenia, Serbia, Germany, Hungary, France, <u>Bulgaria</u>, Belgium, Bosnia and Herzegovina, <u>Poland</u>, Portugal, Malta, Montenegro, <u>Romania</u>, Russia,</p> <p>[Africa] Africa,</p> <p>[Latin America] Bermuda islands, Argentina, Uruguay, Ecuador, El Salvador, Guatemala, Costa Rica, Colombia, Nicaragua, West Indies (excluding Cuba; <u>and Dominican Republic and Puerto Rico</u>), Panama, Paraguay, Brazil, Venezuela, <u>Belize</u>, Peru, Bolivia, Honduras,</p> <p>[Oceania] Australia (excluding Tasmania), Hawaiian Islands</p>	<p>Fresh fruits of the following plants:</p> <p>akee (<i>Blighia sapida</i>), <u><i>Acokanthera oppositifolia</i></u>, <u><i>Acokanthera schimperi</i></u> (syn. <u><i>Acokanthera ouabaio</i></u>), <u>beehanger (<i>Azima tetraantha</i>)</u>, avocado (<i>Persea americana</i>) (excluding those listed in Appendix 60, 64, 70 and 72), Malay gooseberry (star berry) (<i>Phyllanthus acidus</i>), <u><i>Artabotrys monteiroae</i></u>, <u><i>Antidesma venosum</i></u>, <u><i>Wikstroemia phillyreifolia</i></u>, <u><i>Euclea divinorum</i></u>, <u>dog plum (<i>Ekebergia capensis</i>)</u>, <u><i>Oxyanthus zaquebaricus</i></u>, <u><i>Opilia amentacea</i></u>, allspice (<i>Pimenta dioica</i> (syn. <i>Pimenta officinalis</i>)), olive (<i>Olea europaea</i>), <u><i>Olea woodiana</i></u>, cashew (<i>Anacardium occidentale</i>), <u><i>Cassine schweinfurthiana</i></u> (syn. <u><i>Elaeodendron schweinfurthianum</i></u>), kiwi fruit (<i>Actinidia deliciosa</i>, <i>A. chinensis</i>)), yellow oleander (<i>Thevetia peruviana</i> (syn. <u><i>Cascabela thevetia</i></u>, <u><i>Cerbera thevetia</i></u>, <i>Thevetia neriifolia</i>)), <u><i>Pithecellobium dulce</i></u>, <i>Cucumis dipsaceus</i>, <u>beach naupaka (<i>Scaevola taccada</i> (syn. <u><i>Scaevola frutescens</i></u>, <u><i>Scaevola sericea</i></u>))</u>, <u><i>Grewia trichocarpa</i></u>, <i>Coccinia microphylla</i>, <i>Corallocarpus ellipticus</i>, carambola (<i>Averrhoa carambola</i>), pomegranate (<i>Punica granatum</i>), <u><i>Salacia elegans</i></u>, jaboticaba (<i>Plinia cauliflora</i> (syn. <i>Eugenia cauliflora</i>, <i>Myrcia jaboticaba</i>)), <u>goodenia (<i>Scaevola plumieri</i>)</u>, broad bean (<i>Vicia faba</i>), Alexandrian laurel (<i>Calophyllum inophyllum</i>), <u>governor's plum (<i>Flacourtia indica</i> (syn. <u><i>Flacourtia ramontchi</i></u>))</u>, date palm (<i>Phoenix dactylifera</i>), nance (<i>Byrsonima crassifolia</i>), Jamaica cherry (<i>Muntingia calabura</i>), bitter melon (balsam pear) (<i>Momordica charantia</i>), <u><i>Guettarda speciosa</i></u>, <u>kafir plum (<i>Harpephyllum caffrum</i>)</u>, <u><i>Filicium decipiens</i></u>, feijoa (<i>Feijoa sellowiana</i>), <u><i>Butia eriospatha</i></u>, <u>jelly palm (<i>Butia capitata</i> (syn. <u><i>Cocos capitata</i></u>))</u>, <u><i>Flagellaria quineensis</i></u>, <u><i>Flueggea virosa</i></u>, <u><i>Brucea ferruginea</i></u> (syn. <u><i>Brucea antidysenterica</i></u>), <u>barberry (<i>Berberis holstii</i>)</u>, <u><i>Pentarrhopalopilium umbellulata</i></u>, <u><i>Bourreria petiolaris</i></u>, pawpaw (<i>Asimina triloba</i>),</p>	<p><i>Ceratitis capitata</i> (Mediterranean fruit fly)</p>

		<p><u>Polysphaeria parvifolia</u>, mamey apple (mamme apple) (<i>Mammea americana</i>), <u>Monodora grandidieri</u>, <u>Lamprothamnus zaquebaricus</u>, longan (<i>Euphoria longana</i> (syn. <i>Dimocarpus longan</i>)), <u>Ludia mauritiana</u>, litchi (<i>Litchi chinensis</i>), <i>Ficus</i>, <u>Inga</u>, <i>Phaseolus</i>, <u>Vanqueria</u>, <i>Diospyros</i> (excluding those listed in Appendix 41), <i>Carissa</i>, <i>Juglans</i>, <i>Morus</i>, <i>Coccoloba</i>, <i>Coffea</i>, <i>Ribes</i>, <i>Vaccinium</i>, <i>Passiflora</i>, <i>Dovyalis</i>, <u>Drypetes</u>, <i>Ziziphus</i>, <i>Spondias</i>, <i>Musa</i> (excluding immature banana), <i>Carica</i> (excluding those listed in Appendix 1), <i>Psidium</i>, <i>Artocarpus</i>, <i>Annona</i>, <i>Malpighia</i>, <i>Santalum</i>, <u>Capparis</u>, <i>Garcinia</i>, <i>Vitis</i> (excluding those listed in Appendix 3, 54 and 59), <i>Syzygium</i>, <u>Strychnos</u>, <i>Mangifera</i> (excluding those listed in Appendix 2, 36, 43, 51 and 53), <i>Ilex</i>, <i>Terminalia</i>, <i>Eugenia</i>, <i>Gossypium</i>, Sapotaceae, Cactaceae (excluding those listed in Appendix 35 <u>yellow pitahaya (Hylocereus megalanthus (syn. Selenicereus megalanthus) and Hylocereus polyrhizus)</u>), Solanaceae (excluding those listed in Appendix 3 and 42), Rosaceae (excluding those listed in Appendix 3 and 31), Rutaceae (excluding those listed in Appendix 4 to 8, 39, 45 56, 65 and 73)</p>	
2	<p>[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Nepal, Pakistan, Bangladesh, East Timor, Philippines, Bhutan, Brunei, Viet Nam, Hong Kong, Malaysia, Myanmar, Laos,</p> <p>[Africa] Angola, Uganda, Eswatini, Ethiopia, <u>Eritrea</u>, Ghana, <u>Republic of Cabo Verde</u>, Gabon, Cameroon, Gambia, Guinea, Guinea-Bissau, Kenya, Cote d'Ivoire, Comoros, Republic of Congo, Democratic Republic of the Congo, Zambia, Sierra Leone, <u>Zimbabwe</u>, Sudan, Equatorial Guinea, Senegal, Tanzania, Chad, Central African Republic, Togo, Nigeria, Namibia, Niger, Burkina Faso, Burundi, Benin, Botswana, Madagascar, Mayotte, Mali, South African Republic, Mozambique, Mauritania, Liberia, Rwanda, Reunion,</p> <p>[Latin America] <u>Suriname</u>, <u>French Guiana</u>,</p> <p>[Oceania] <u>Christmas Island</u>, <u>Northern Mariana Islands</u>,</p>	<p>Fresh fruits of the following plants:</p> <p>citrus (including <u>Murraya paniculata (syn. Murraya exotica)</u> and genera <i>Citrus</i>, <i>Fortunella</i> and <i>Poncirus</i> and hybrids of these genera) (excluding those listed in Appendix 4, 5, 10 and 58), <u>Bischofia javanica</u>, akee (<i>Blighia sapida</i>), <u>Azadirachta excelsa</u>, <u>acerola (Malpighia emarginata, (syn. M. glabra, M. puniceifolia))</u>, <u>makamong (Afzelia xylocarpa)</u>, avocado (<i>Persea americana</i>), <u>Sauropus androgynus</u>, <u>Alangium chinense</u>, <u>plu (Alangium salviifolium)</u>, <u>Artabotrys siamensis</u>, <u>Artabotrys monteiroae</u>, <u>Alpinia mutica</u>, <u>Arenga westerhoutii</u>, <u>Icacina senegalensis</u>, <u>Ixora javanica</u>, <u>Ixora macrothyrsa</u>, common fig (<i>Ficus carica</i>), <i>Ficus sycomorus</i>, <u>Ficus erecta</u>, <i>Irvingia gabonensis</i>, <u>Irvingia malayana</u>, Burmese grape (<i>Baccaurea sapida</i>), <i>Ficus racemosa</i>, <u>Uvaria chamae</u>, <u>Uvaria grandiflora</u>, <u>tayaw (Excoecaria aqallocha)</u>, <u>Elaeocarpus hygrophilus (syn. Elaeocarpus madopetalus)</u>, <u>palmyra palm (Borassus flabellifer)</u>, <u>Ficus pumila</u>, <u>Ficus septica</u>, <u>Rubus croceacanthus</u>, <u>marble vine (Diplocyclos palmatus (syn. Bryonopsis laciniosa))</u>, <u>Ochreinauclea maingayi</u>, <u>Opilia amentacea</u>,</p>	<p><i>Bactrocera dorsalis</i> species complex (Oriental fruit fly)</p>

	<p>Papua New Guinea, Republic of Palau, Hawaiian Islands, French Polynesia, Micronesia</p>	<p>strawberry (<i>Fragaria x ananassa</i>), olive (<i>Olea europaea</i>), cacao (<i>Theobroma cacao</i>), cashew (<i>Anacardium occidentale</i>), Indian laurel (<i>Ficus microcarpa</i>), <i>Capparis sepiaria</i>, <i>Capparis tomentosa</i>, <i>Trichosanthes cucumeroides</i> (syn. <i>Trichosanthes ovigera</i>), <i>Chionanthus parkinsonii</i> (syn. <i>Linociera parkinsonii</i>), <i>Xanthophyllum amoenum</i>, <i>Xanthophyllum flavescens</i>, hog plum (<i>Ximenia americana</i>), yellow oleander (<i>Thevetia peruviana</i> (syn. <i>Cascabela thevetia</i>, <i>Cerbera thevetia</i>, <i>Thevetia nerifolia</i>)), cucumber (<i>Cucumis sativus</i>), Manila tamarind (<i>Pithecellobium dulce</i>), cushaw pumpkin (<i>Cucurbita argyrosperma</i> (syn. <i>Cucurbita mixta</i>)), <i>Gnetum gnemon</i>, <i>Gmelina elliptica</i>, <i>Gmelina philippensis</i>, orangeberry (<i>Glycosmis pentaphylla</i>), lcaco plum (<i>Chrysobalanus icaco</i>), formosa palm (<i>Arenga termula</i> var. <i>engleri</i> (syn. <i>Arenga engleri</i>)), <i>Zehneria lukuensis</i>, <i>Kedrostis hirtella</i> (excluding those listed in Appendix 74), <i>Coccinia grandis</i> (syn. <i>Coccinia indica</i>, <i>Cephalandra indica</i>), <i>Arenga tremula</i>, <i>Cordyla pinnata</i>, <i>Cordia myxa</i>, carambola (<i>Averrhoa carambola</i>), <i>Citrullus colocynthis</i> (excluding those listed in Appendix 66), pomegranate (<i>Punica granatum</i>), suger palm (<i>Arenga pinnata</i> (syn. <i>Arenga saccharifera</i>)), <i>Saba comorensis</i>, saba nut (<i>Saba senegalensis</i>), salak (<i>Salacca edulis</i>), <i>Toddalia asiatica</i>, santol (<i>Sandoricum koetjape</i> (syn. <i>S. nervosum</i>, <i>S. indicum</i>)), <i>Citrofortunella microcarpa</i> (syn. <i>Citrofortunella mitis</i>, <i>Citrus x microcarpa</i>, <i>Citrus mitis</i>), <i>Turpinia ternata</i>, <i>Neolitsea sericea</i>, watermelon (<i>Citrullus lanatus</i> (syn. <i>Citrullus vulgaris</i>)), <i>Sclerocarya birrea</i>, <i>Schoepfia fragrans</i>, <i>Cucurbita maxima</i> (excluding those listed in Appendix 67), <i>Celtis tetrandra</i>, Tahitian chestnut (<i>Inocarpus fagifer</i>), <i>Machilus thunbergii</i>, <i>Dillenia obovata</i>, <i>Desmos chinensis</i>, <i>Tetractomia majus</i>, Alexandrian laurel (<i>Calophyllum inophyllum</i>), <i>Flacourtia indica</i> (syn. <i>F. ramontchi</i>), <i>Rhodomyrtus tomentosa</i>, white mulberry (<i>Morus alba</i>), ridge gourd (<i>Luffa acutangula</i>) (excluding those listed in Appendix 75), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S. arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), limeberry (<i>Triphasia trifolia</i>), <i>Nauclea orientalis</i> (syn. <i>Sarcocephalus cordatus</i>), bilimbi (<i>Averrhoa bilimbi</i>), pear (<i>Pyrus</i>), date palm (<i>Phoenix dactylifera</i>), Jamaica cherry (<i>Muntingia calabura</i>), bitter gourd (balsam pear) (<i>Momordica charantia</i>), <i>Sarcocephalus latifolius</i> (syn. <i>Nauclea esculenta</i>), <i>Nauclea latifolia</i>, bitter bean</p>	
--	---	---	--

(*Parkia speciosa*), *Haematostaphis barteri*, *Viburnum japonicum*, *Baccaurea racemosa*, *Baccaurea ramiflora*, papaya (*Carica papaya* (excluding those listed in Appendix 1, 11 and 12)), *Ficus virgate*, *Litsea japonica*, *Paramignya andamanica*, *Parinari anamensis*, calabash tree (*Crescentia cujete*), Néré (*Parkia biglobosa*), loquat (*Eriobotrya japonica*), betel palm (*Areca catechu*), *Fagraea ceilanica*, *Fagraea racemosa*, *Ficus eligodon*, *Ficus ottoniifolia*, *Ficus grossularioides*, *Ficus concatian*, *Ficus hispida*, *Ficus benamina*, *Physalis minima*, feijoa (*Feijoa sellowiana* (syn. *Acca sellowiana*)), ~~grape (*Vitis vinifera* (excluding those listed in Appendix 32, and 54))~~, *Flacourtia rukam*, *Breynia racemosa* (syn. *Breynia reclinata*), *Breonia chinensis* (syn. *Cephalanthus chinensis*, *Anthocephalus chinensis*), tagat tagyi (*Heynea trijuga* (syn. *Walsura intermedia*)), sponge gourd (*Luffa cylindrica* (syn. *Luffa aegyptiaca*)) (excluding those listed in Appendix 76), summer squash (*Cucurbita pepo* (excluding those listed in Appendix 68)), okshit (*Aegle marmelos*), *Polyalthia longifolia*, *Holigarna kurzii*, *Ehretia dicksonii* (syn. *Ehretia dicksonii* var. *japonica*), quince (*Cydonia oblonga*), *Mammea siamensis*, *Myxopyrum smilacifolium*, *Microcos tomentosa* (syn. *Grewia paniculata*), *Lycianthes biflora*, melon (*Cucumis melo* (syn. *Bryonia collosa*)), Singapore almond (*Terminalia catappa*), *Momordica balsamina*, *Morinda citrifolia* (syn. *Morinda elliptica*), *Cinnamomum yabunikkei* (syn. *Cinnamomum japonicum*, *Cinnamomum tenuifolium*), red bayberry (*Myrica rubra*), bottle gourd (*Lagenaria siceraria* (syn. *Lagenaria leucantha*) (excluding those listed in Appendix 69)), *Baccaurea motleyana*, rambutan (*Nephelium lappaceum*), longan (*Euphoria longana* (syn. *Dimocarpus longan*)), apple (*Malus*), *Lepisanthes tetraphylla*, *Lepisanthes rubiginosa*, litchi (*Litchi chinensis* (excluding those listed in Appendix 13, 14 and 71)), wampi (*Clausena lansium* (syn. *C. wampi*)), *Bouea*, *Diospyros*, *Carissa*, *Elaeagnus*, *Coffea*, *Prunus*, *Capsicum*, *Passiflora*, *Solanum*, *Ziziphus* (excluding those listed in Appendix 63), *Spondias*, *Musa* (excluding immature banana), *Psidium*, *Artocarpus*, *Annona*, *Malpighia*, *Hylocereus* (excluding those listed in Appendix 52 and 55 and yellow pitahaya (*Hylocereus megalanthus* (syn. *Selenicereus megalanthus*))), *Garcinia* (excluding those listed in Appendix 40), *Vitis* (excluding those listed in Appendix 32 and 54), *Syzygium*, *Mangifera*

		(excluding those listed in Appendix 15 to 17, 36, 48, 50, 57 and 61), <i>Eugenia</i> , <i>Lansium</i> , <u><i>Licania</i></u> , <i>Rollinia</i> , Sapotaceae, mature banana (<i>Musa</i>)	
3	[Oceania] Australia (excluding Tasmania), New Caledonia, Papua New Guinea, French Polynesia	<p>Fresh fruits of the following plants:</p> <p>citrus (including <i>Murraya paniculata</i> (syn. <i>Murraya exotica</i>) and genera <i>Citrus</i>, <i>Fortunella</i> and <i>Poncirus</i> and hybrids of these genera) (excluding those listed in Appendix 7), <u><i>gandaria</i> (<i>Bouea macrophylla</i> (syn. <i>Bouea gandaria</i>))</u>, acerola (<i>Malpighia emarginata</i> (including <i>Malpighia glabra</i> (syn. <i>Malpighia puniceifolia</i>))), avocado (<i>Persea americana</i> (excluding those listed in Appendix 64)), apricot (<i>Prunus armeniaca</i>), yellow pitahaya (<i>Hylocereus megalanthus</i> (syn. <i>Selenicereus megalanthus</i>)), common fig (<i>Ficus carica</i>), <u>perfume tree (<i>Cananga odorata</i>)</u>, <u>phalsa (<i>Grewia asiatica</i>)</u>, <u>cluster tree (<i>Ficus racemosa</i> (syn. <i>Ficus glomerata</i>))</u>, <u>European strawberry (<i>Fragaria vesca</i>)</u>, Australian desert lime (<i>Eremocitrus glauca</i>), <u><i>Endiandra wolfei</i></u>, <u><i>Endiandra microneura</i></u>, <u><i>Endiandra longipedicellata</i></u>, <u>lovi-lovi (<i>Flacourtia inermis</i>)</u>, <u><i>Garcinia dulcis</i></u>, <u><i>Diplocyclos palmatus</i> (syn. <i>Bryonopsis laciniosa</i>)</u>, <u><i>Ochrosia moorei</i></u>, Indian fig (spineless cactus) (<i>Opuntia ficus-indica</i>), strawberry (<i>Fragaria x ananassa</i>), olive (<i>Olea europaea</i>), <i>Casimiroa tetrameria</i>, cashew (<i>Anacardium occidentale</i>), <u><i>Castanospora alphandii</i></u>, <u><i>Canarium vulgare</i></u>, <u><i>Carallia brachiata</i></u>, <u>warren's mangosteen (<i>Garcinia warrenii</i>)</u>, kiwi fruit (<i>Actinidia deliciosa</i>, <i>A. chinensis</i>), <u>hog plum (<i>Ximenia americana</i>)</u>, <i>Capsicum frutescens</i>, <u>yellow oleander (<i>Thevetia peruviana</i> (syn. <i>Cascabela thevetia</i>, <i>Cerbera thevetia</i>, <i>Thevetia neriifolia</i>))</u> <i>Glycosmis trifoliata</i>, tamarillo (<i>Cyphomandra betacea</i> (syn. <i>Pionandra betacea</i>, <i>Solanum insigne</i>)), carambola (<i>Averrhoa carambola</i>), cherry (including <i>Prunus avium</i>, <i>P. cerasus</i>, others), pomegranate (<i>Punica granatum</i>), <u>Chinese salacia (<i>Salacia chinensis</i>)</u>, santol (<i>Sandoricum koetjape</i> (syn. <i>S. nervosum</i>, <i>S. indicum</i>)), cape gooseberry (<i>Physalis peruviana</i>), <u>jaboticaba (<i>Plinia cauliflora</i> (syn. <i>Eugenia cauli</i>, <i>Myrcia jaboticaba</i>, <i>Myrciaria cauliflora</i>))</u>, white sapote (<i>Casimiroa edulis</i>), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i>), medlar (<i>Mespilus germanica</i>), <u>Australian cashew nut (<i>Semecarpus australiensis</i>)</u>, <u>davidson's plum (<i>Davidsonia pruriens</i>)</u>, <u>strawberry quava (<i>Psidium cattleianum</i> (syn.</u></p>	<i>Bactrocera tryoni</i> (Queensland fruit fly)

		<p><u><i>Psidium littorale</i></u>), alexandrian laurel (<u><i>Calophyllum inophyllum</i></u>), sweet pepper (chili pepper, shishito pepper, bell pepper) (<i>Capsicum annuum</i>), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S. arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), <u><i>Nauclea orientalis</i> (syn. <i>Sarcocephalus cordatus</i>)</u>, bilimbi (<u><i>Averrhoa bilimbi</i></u>), pear (<i>Pyrus</i>), date palm (<i>Phoenix dactylifera</i>), papaya (<i>Carica papaya</i>), <u><i>Artocarpus heterophyllus</i> (syn. <i>Artocarpus integrifolia</i>)</u>, fish poison tree (<u><i>Barringtonia asiatica</i></u>), <u><i>Barringtonia edulis</i></u>, <u><i>Barringtonia calyptrata</i></u>, guava (<i>Psidium guajava</i>), breadfruit (<i>Artocarpus altilis</i>), loquat (<i>Eriobotrya japonica</i>), <u><i>Fagraea gracilipes</i> (syn. <i>Fagraea cambagei</i>)</u>, <u><i>Phaleria clerodendron</i></u>, <u><i>Ficus pancheriana</i></u>, feijoa (<i>Feijoa sellowiana</i>), <u><i>Psidium acutangulum</i></u>, Guinea guava (<u><i>Psidium guineense</i> (syn. <i>Psidium araca</i>)</u>), grape (<i>Vitis</i> (excluding those listed in Appendix 59)), cocky apple (<u><i>Planchonia careya</i></u>), Burdekin plum (<u><i>Pleiogynium timoriense</i></u>), <u><i>Prunus simonii</i></u>, Amazon tree grape (<u><i>Pourouma cecropiifolia</i></u>), fijian longan (<u><i>Pometia pinnata</i> (syn. <i>Allophylus cobbe</i>)</u>), <u><i>Maclura pomifera</i></u>, quince (<i>Cydonia oblonga</i>), <i>Prunus cerasifera</i> (syn. <i>Amygdalus persica</i>), zig-zag vine (<u><i>Melodorum leichhardtii</i> (syn. <i>Rauwenhoffia leichhardtii</i>)</u>), peach (<i>Prunus persica</i>), <u><i>Morinda citrifolia</i> (syn. <i>Morinda elliptica</i>)</u>, rambutan (<u><i>Nephelium lappaceum</i></u>), longan (<u><i>Euphoria longana</i> (syn. <i>Dimocarpus longan</i>)</u>), apple (<i>Malus</i>), litchi (<i>Litchi chinensis</i>), wampi (<i>Clausena lansium</i> (syn. <i>C. wampi</i>)), <i>Acronychia</i>, <i>Diospyros</i>, <i>Rubus</i>, <i>Morus</i>, <i>Coffea</i>, <i>Vaccinium</i>, <i>Passiflora</i>, <i>Solanum</i>, <i>Ziziphus</i>, <i>Spondias</i>, <u><i>Musa</i> (excluding immature banana)</u>, <i>Annona</i>, <u><i>Vitis</i> (excluding those listed in Appendix 59)</u>, <i>Syzygium</i>, <i>Mangifera</i> (excluding those listed in Appendix 2), <i>Terminalia</i>, <i>Eugenia</i>, <i>Rollinia</i>, Sapotaceae, mature banana (<i>Musa</i>)</p>	
4	<p>[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Nepal, Pakistan, Bangladesh, East Timor, Philippines, Bhutan, Brunei, Viet Nam, Hong Kong, Malaysia, Myanmar, Laos, [Middle East] Afghanistan, [Africa] Uganda, <u>Ethiopia</u>, Cameroon, Gambia, Guinea,</p>	<p>Live plants and plant parts for planting (excluding seed and underground parts) and cut flowers, cut branches and fruits of plants for consumption and ornament of the following plants: Cucurbitaceae Fresh fruits of the following plants:</p>	<p><i>Bactrocera cucurbitae</i> (Melon fly)</p>

	<p>Kenya, Cote d'Ivoire, Republic of Congo, Democratic Republic of the Congo, Sierra Leone, Sudan, Seychelles, Senegal, Somalia, Tanzania, Togo, Nigeria, Niger, Burkina Faso, Burundi, Benin, Malawi, Mali, South Sudan, Mozambique, Mauritius, Reunion,</p> <p>[Oceania] Christmas Island, Solomon Islands, Papua New Guinea, Hawaiian Islands, Micronesia</p>	<p><u>hondala (Adenia hondala)</u>, <u>African custard-apple (Annona senegalensis)</u>, <u>Ficus erecta</u>, <u>black nightshade (Solanum nigrum)</u>, common bean (kidney bean) (<i>Phaseolus vulgaris</i>), <u>Ficus pumila</u>, <u>Mexican husk tomato (Physalis philadelphica (syn. Physalis ixocarpa))</u>, <u>cashew (Anacardium occidentale)</u>, <i>Capsicum frutescens</i>, pigeon pea (<i>Cajanus cajan</i>), <u>Solanum capsicoides (syn. Solanum aculeatissimum)</u>, <u>passion fruit (Passiflora edulis)</u>, <u>tamarillo (Cyphomandra betacea (syn. Pionandra betacea, Solanum betaceum, Solanum insigne))</u>, carambola (<i>Averrhoa carambola</i>), cowpea (<i>Vigna unguiculata</i>), <u>sweet orange (Citrus sinensis)</u>, <u>Strychnos spinosa</u>, <u>scarlet eggplant (Solanum aethiopicum)</u>, <u>African eggplant (Solanum anguivi)</u>, <u>Solanum sessiliflorum</u>, <u>Solanum trilobatum</u>, <u>Solanum macrocarpon</u>, <u>Solanum linnaeanum</u>, <u>Solanum mauritianum</u>, <u>Solanum pseudocapsicum</u>, <u>Tetrastigma leucostaphylum (syn. Tetrastigma lanceolarium)</u>, sweet pepper (chili pepper, shishito pepper, bell pepper) (<i>Capsicum annuum</i>), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S. arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), eggplant (<i>Solanum melongena</i>), <u>jujube (Ziziphus jujuba (syn. Ziziphus vulgaris, Ziziphus sativa))</u>, papaya (<i>Carica papaya</i> (excluding those listed in Appendix 1, 11 and 12)), <u>guava (Psidium guajava)</u>, hyacinth bean (<i>Lablab purpureus</i> (syn <i>Dolichos lablab</i>)), <u>Singapore almond (Terminalia catappa)</u>, <u>Solanum erianthum (Solanum verbascifolium)</u>, <i>Hylocereus</i> (excluding those listed in Appendix 52 and 55, <u>and excluding yellow pitahaya (Hylocereus megalanthus (syn. Selenicereus megalanthus))</u>), <i>Mangifera</i> (excluding those listed in Appendix 15 to 17, 36, 48, 50, 57 and 61), Cucurbitaceae (excluding those listed in Appendix 18)</p>	
5	<p>[Asia] India, China (excluding Hong Kong), Pakistan,</p> <p>[Middle East] Afghanistan, Israel, Iraq, Iran, Syria, Turkey, Jordan, Lebanon,</p> <p>[Europe] Europe (including Iceland, Ireland, Azerbaijan, Albania, Armenia, Andorra, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia,</p>	<p>Fresh fruits of the following plants:</p> <p>apricot (<i>Prunus armeniaca</i>), cherry (including <i>Prunus avium</i>, <i>P. cerasus</i>, others) (excluding those listed in Appendix 19 to 21, 38 and 44), plum (including <i>Prunus domestica</i>, <i>Prunus salicina</i> (excluding those listed in Appendix 37)), pear (<i>Pyrus</i>), quince (<i>Cydonia oblonga</i>), peach (<i>Prunus persica</i> (excluding those listed in Appendix 22 and 23)), apple (<i>Malus</i> (excluding those listed in Appendix 24, 25, 31</p>	<p><i>Cydia pomonella</i> (Codling moth)</p>

	<p>Austria, Netherlands, Kazakhstan, Republic of North Macedonia, Cyprus, Greece, Kyrgyz Republic, Croatia, Kosovo, San Marino, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Vatican, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Monaco, Moldova, Montenegro, Latvia, Lithuania, Liechtenstein, Luxembourg, Romania, Russia),</p> <p>[Africa] Africa,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Argentina, Uruguay, Colombia, Chile, Brazil, Peru, Bolivia, Mexico,</p> <p>[Oceania] Australia, New Zealand</p>	<p>and 34)),</p> <p>Fresh fruits and nuts in shell of the following plants:</p> <p>walnut (<i>Juglans</i> (fruits and nuts in shell) (excluding those listed in Appendix 26))</p>	
6	<p>[Asia] India, Indonesia, Cambodia, Singapore, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Pakistan, Bangladesh, East Timor, Philippines, Brunei, Viet Nam, Hong Kong, Malaysia, Myanmar, Maldives, Laos,</p> <p>[Africa] Africa,</p> <p>[North America] United States of America (excluding Hawaiian Islands),</p> <p>[Latin America] Guyana, Guatemala, Venezuela, Belize, Mexico, West Indies,</p> <p>[Oceania] Australia, Papua New Guinea, Hawaiian Islands, Polynesia, Micronesia, Melanesia</p>	<p>Live vines, stems, leaves, tuberous roots and other underground portions of the following plants:</p> <p><i>Stictocardia tiliifolia</i>, <i>Pharbitis</i>, <i>Ipomoea</i>, <i>Calystegia</i></p> <p>Live tuberous roots and other underground portions of the following plants:</p> <p>cassava (<i>Manihot esculenta</i>)</p>	<i>Cylas formicarius</i> (sweet potato weevil)
7	<p>[Asia] China (excluding Hong Kong),</p> <p>[North America] United States of America (excluding Hawaiian Islands),</p>	<p>Live vines, stems, leaves, tuberous roots and other underground portions of the following plants:</p> <p><i>Pharbitis</i>, <i>Ipomoea</i>, <i>Calystegia</i></p>	<i>Euscepes postfasciatus</i> (West Indian sweet potato weevil)

	<p>[Latin America] Guyana, Suriname, West Indies, Paraguay, Brazil, French Guiana, Venezuela, Peru,</p> <p>[Oceania] Hawaiian Islands, Polynesia, Micronesia, Melanesia</p>		
8	<p>[Asia] India, Nepal, Bhutan,</p> <p>[Middle East] Turkey,</p> <p>[Europe] Europe (excluding Albania, Cyprus and Greece and Latvia),</p> <p>[Africa] Algeria, Tunisia, South African Republic,</p> <p>[North America] Canada,</p> <p>[Latin America] Uruguay, Ecuador, Falkland Islands, Peru, Bolivia,</p> <p>[Oceania] New Zealand</p>	<p>Live stems, leaves, tubers, and other underground portions of the following plants:</p> <p>Solanaceae</p>	<p><i>Synchytrium endobioticum</i> (Potato wart)</p>
9	<p>[Asia] China (excluding Hong Kong),</p> <p>[Middle East] Iraq, Iran, Turkey,</p> <p>[Europe] Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, Republic of North Macedonia, Greece, Kyrgyz Republic, Croatia, Kosovo, Georgia, Switzerland, Spain, Slovakia, Slovenia, Serbia, Tajikistan, Czech, Denmark, Germany, Hungary, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Moldova, Montenegro, Lithuania, Luxembourg, Romania, Russia,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Mexico</p>	<p>Live stems and leaves of the following plants:</p> <p><i>Cirsium, Verbascum, Solanaceae</i></p>	<p><i>Leptinotarsa decemlineata</i> (Colorado potato beetle)</p>

10	<p>[Asia] India, Indonesia, Sri Lanka, Pakistan, Philippines, [Middle East] Israel, Iran, Turkey, Lebanon, [Europe] Iceland, Ireland, Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, Cyprus, Greece, Kyrgyz Republic, Croatia, Georgia, Switzerland, Sweden, Spain, Slovakia, Slovenia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Moldova, Latvia, Lithuania, Luxembourg, Russia, [Africa] Algeria, <u>Uganda</u>, Egypt, Canary Islands, Kenya, South African Republic, <u>Rwanda</u>, [North America] United States of America (excluding Hawaiian Islands), Canada, [Latin America] Argentina, El Salvador, Guatemala, Costa Rica, Chile, Nicaragua, Panama, Venezuela, Belize, Peru, Bolivia, Honduras, Mexico, [Oceania] Australia, New Zealand</p>	<p>Live tubers and other underground portions of the following plants: <i>Chenopodium</i>, Solanaceae (excluding those listed in Appendix 46)</p>	<p><i>Globodera rostochiensis</i> (potato cyst nematode)</p>
11	<p>[Asia] India, Pakistan, [Middle East] Turkey, [Europe] Iceland, Ireland, Azerbaijan, Armenia, Italy, Ukraine, Uzbekistan, United Kingdom (Great Britain and Northern Ireland), Estonia, Austria, Netherlands, Kazakhstan, Cyprus, Greece, Kyrgyz Republic, Georgia, Switzerland, Sweden, Spain, Slovenia, Tajikistan, Czech, Denmark, Germany, Turkmenistan, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Bosnia and Herzegovina, Poland, Portugal, Malta, Moldova, Latvia, Lithuania, Russia,</p>	<p>Live tubers and other underground portions of the following plants: Solanaceae (excluding those listed in Appendix 46)</p>	<p><i>Globodera pallida</i> (white potato cyst nematode)</p>

	<p>[Africa] Algeria, Canary Islands, Kenya,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Ecuador, Costa Rica, Colombia, Chile, Panama, Falkland Islands, Venezuela, Peru, Bolivia,</p> <p>[Oceania] New Zealand</p>		
12	<p>[Asia] Myanmar,</p> <p>[Middle East] United Arab Emirates, Yemen, Israel, Iraq, Iran, Syria, Turkey, Jordan, Lebanon,</p> <p>[Europe] Europe (excluding Netherlands and Cyprus),</p> <p>[Africa] Algeria, Egypt, Tunisia, South African Republic, Morocco, Libya,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Argentina, Uruguay, El Salvador, Cuba, Guatemala, Costa Rica, Jamaica, Dominican Republic, Nicaragua, Haiti, Puerto Rico, Brazil, Venezuela, Honduras, Mexico,</p> <p>[Oceania] Australia (excluding Tasmania)</p>	<p>Live stems, leaves and fresh fruits of the following plants:</p> <p>Solanaceae (excluding those listed in Appendix 27, 30, 42, 47 and 62)</p>	<p><i>Peronospora tabacina</i> (Blue mold)</p>
13	<p>[North America] United States of America,</p> <p>[Oceania] Hawaiian Islands</p>	<p>Underground portions of live plants of the following plants:</p> <p>avocado (<i>Persea americana</i>), alfalfa (<i>Medicago sativa</i>), common bean (kidney bean) (<i>Phaseolus vulgaris</i>), <i>Indigofera hirsuta</i>, okra (<i>Abelmoschus esculentus</i> (syn. <i>Hibiscus esculentus</i>)), <i>Capsicum frutescens</i>, pepper (<i>Piper nigrum</i>), sweet potato (<i>Ipomoea batatas</i> (including <i>Ipomoea batatas</i> var. <i>edulis</i>)), sugarcane (<i>Saccharum officinarum</i>), watermelon (<i>Citrullus lanatus</i> (syn. <i>Citrullus vulgaris</i>)), radish (<i>Raphanus sativus</i>), soybean (<i>Glycine max</i>), loblolly pine (<i>Pinus taeda</i>), sweet pepper (chili pepper, shishito pepper, bell pepper) (<i>Capsicum annuum</i>), corn (<i>Zea mays</i>), tomato (including <i>Lycopersicon esculentum</i> (= <i>Solanum lycopersicum</i>), <i>S.</i></p>	<p><i>Radopholus citrophilus</i> (citrus burrowing nematode)</p>

		<p><i>arcanum</i>, <i>S. cheesmaniae</i>, <i>S. chilense</i>, <i>S. galapagense</i>, <i>S. peruvianum</i>, <i>S. pimpinellifolium</i>)), bitter gourd (balsam pear) (<i>Momordica charantia</i>), pineapple (<i>Ananas comosus</i>), slash pine (<i>Pinus elliotii</i>), summer squash (<i>Cucurbita pepo</i>), melon (<i>Cucumis melo</i> (syn. <i>Bryonia collosa</i>)), groundnut (excluding seeds without pod) (<i>Arachis hypogaea</i>), leek (<i>Allium ampeloprasum</i>), litchi (<i>Litchi chinensis</i>), <i>Anthurium</i> (excluding those listed in Appendix 49), <i>Musa</i>, <i>Beta</i>, Rutaceae</p>	
14	<p>[Middle East] Israel, Turkey, Syria, [Europe] Europe (excluding Cyprus), [Africa] Tunisia, Morocco, [North America] United States of America (excluding Hawaiian Islands), Canada, [Oceania] New Zealand</p>	<p>Stems and leaves of the following plants: <i>Hordeum</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33), <i>Triticum</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33) and <i>Secale</i> (including straw packing materials and straw goods similar thereof referred to as "straw" in Appendix 28 and 33)</p> <p>Stems and leaves of the following plants: <i>Agropyron</i> (excluding those listed in Appendix 28 and 33).</p>	<p><i>Mayetiola destructor</i> (Hessian fly)</p>
15	<p>All countries excluding North Korea, Republic of Korea and Taiwan</p>	<p>rice plants, rice straw (including rice straw bags, mats, and other rice straw goods similar thereof (excluding those listed in Appendix 29)), unhulled rice and rice hull.</p>	<p><i>Balansia oryzae-sativae</i>, <i>Ditylenchus angustus</i> (rice stem nematode), <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> and other quarantine pests not existing in Japan</p>
16	<p>[Asia] Republic of Korea, [Middle East] Israel, Iran, Syria, Turkey, Jordan, Lebanon, [Europe] Ireland, Albania, Armenia, Italy, Ukraine, United Kingdom (Great Britain and Northern Ireland), Austria, Netherlands, Kazakhstan, Republic of North Macedonia, Cyprus, Greece, Kyrgyz Republic, Croatia, Kosovo, Georgia, Switzerland,</p>	<p>Live plants and plant parts (including fruit, flower and pollen, other than seed) of the following plants: <i>Chaenomeles sinensis</i> (syn. <i>Pseudocydonia sinensis</i>), bridal wreath (<i>Spiraea prunifolia</i>), medlar (<i>Mespilus germanica</i>), loquat (<i>Eriobotrya japonica</i>), quince (<i>Cydonia oblonga</i>), dog rose (<i>Rosa canina</i>), <i>Aronia</i>, <i>Photinia</i>, <i>Crataegomespilus</i>, <i>Amelanchier</i>, <i>Crataegus</i>, <i>Cotoneaster</i>, <i>Rhaphiolepis</i>, <i>Stranvaesia</i>, <i>Osteomeles</i>,</p>	<p><i>Erwinia amylovora</i> (Fire blight)</p>

	<p>Sweden, Spain, Slovakia, Slovenia, Serbia, Czech, Denmark, Germany, Norway, Hungary, Finland, France, Bulgaria, Belarus, Belgium, Poland, Bosnia and Herzegovina, Moldova, Montenegro, Latvia, Lithuania, Liechtenstein, Romania, Luxembourg, Russia,</p> <p>[Africa] Algeria, Egypt, Tunisia, Morocco,</p> <p>[North America] United States of America (excluding Hawaiian Islands), Canada,</p> <p>[Latin America] Guatemala, Bermuda islands, Mexico,</p> <p>[Oceania] New Zealand</p>	<p><i>Dichotomanthes, Pyracantha, Docynia, Pyrus, Sorbus, Heteromeles, Peraphyllum, Chaenomeles</i> (syn. <i>Choenomeles</i>), <i>Malus</i> (excluding those listed in Appendix 24, 25 and 31)</p>	
17	<p>[Asia] India, Indonesia, Cambodia, Sri Lanka, Thailand, Taiwan, China (excluding Hong Kong), Nepal, Pakistan, Bangladesh, East Timor, Philippines, Bhutan, Viet Nam, Malaysia, Myanmar, Laos,</p> <p>[Middle East] Yemen, Iran, Oman, Saudi Arabia,</p> <p>[Africa] Africa,</p> <p>[North America] United States of America (excluding Hawaiian Islands),</p> <p>[Latin America] United States Virgin Islands, Argentina, Cuba, Guatemala, Costa Rica, Colombia, Jamaica, Dominica, Dominican Republic, Nicaragua, Barbados, Puerto Rico, Venezuela, Belize, Mexico, Brazil,</p> <p>[Oceania] Papua New Guinea</p>	<p>Live plants and plant parts (excluding seed and fruit) of the following plants:</p> <p><i>Aeglopsis chevalieri, Atalantia missionis, Calodendrum capensis</i>, limeberry (<i>Triphasia trifolia</i>), <i>Clausena indica</i>, x <i>Citroncirus webberi</i>, tabog (<i>Swinglea glutinosa</i>), wood apple (<i>Feronia limonia</i>), <i>Severinia buxifolia</i>, <i>Balsamocitrus dawwei</i>, <i>Microcitrus australasica</i>, <i>Microcitrus australis</i>, wampi (<i>Clausena lansium</i> (syn. <i>C. wampi</i>)), <i>Toddalia</i></p>	<p><i>Candidatus</i> Liberibacter africanus, <i>Candidatus</i> Liberibacter americanus, <i>Candidatus</i> Liberibacter asiaticus</p>

Appendix

- 1 Solo type of papaya shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 2 R2E2 variety, Keitt variety, Kensington variety, Kent variety and Palmer variety of mango shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

- 3 Strawberry, pepper(capsicum), tomato, eggplant and grape shipped from Netherlands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 4 Valencia variety, Washington Navel variety, Tomango variety and Protea variety of sweet orange, lemon, grapefruit and clementine shipped from South Africa directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 5 Valencia variety, Washington Navel variety, Tomango variety and Protea variety of sweet orange, grapefruit and clementine shipped through South Africa from Eswatini without going by way of other countries to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 6 Shamouti variety and Valencia variety of sweet orange, grapefruit, sweetie, pomelo, lemon and Or mandarin shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 7 Citrus spp. shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 8 Navel variety, Valencia variety and Salustiana variety of sweet orange, lemon and clementine shipped from Spain directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 9 Deleted
- 10 Ponkan orange, Tankan orange and Liutin variety of sweet orange and pomelo shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 11 Solo type and Tailung No.2 type of papaya shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 12 Solo type of papaya shipped from Philippines directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 13 Litchi shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 14 Litchi shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 15 Manila Super variety of mango shipped from Philippines directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 16 Irwin variety, Keitt variety and Haden variety of mango shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 17 Nan Klamgwun variety, Nam Dorkmai variety, Pimsen Daeng variety, Mahachanok variety and Rad variety of mango shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 18 Squash and Melon shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 19 Cherry shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 20 Cherry shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 21 Cherry shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 22 Nectarine shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 23 Firebrite variety, Fantasia variety and Red Gold variety of nectarine shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 24 Apple shipped from New Zealand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 25 Apple shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

- 26 Inshell walnut shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 27 Tomato shipped from Canada directly to Japan
- 28 Straw of wheat and barley group and culms and leaves of plants of the genus Agropyron mixed in hay shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 29 Rice straw shipped from China directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 30 Tomato shipped from United States of America directly to Japan
- 31 Golden Delicious variety of apple shipped from France directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 32 Kyoho variety and Italy variety of grape shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 33 Straw of wheat and barley group and culms and leaves of plants of the genus Agropyron shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 34 Apple shipped from Tasmania directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- ~~35 Yellow Pitahaya shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries~~
- 36 Keitt variety and Haden variety of mango shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 37 Plum shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 38 Cherry shipped from Chili directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 39 Grapefruit, sweet orange(Valencia variety, Salustiana variety, Lanelate variety and Washington Navel variety), lemon, ellendale, clementine, nova mandarin and murcott shipped from Argentine directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 40 Mangosteen shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 41 Triumph variety of persimmon shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 42 Tomato shipped from Belgium directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 43 Kent variety and Tommy Atkins variety of mango shipped from Brazil directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 44 Cherry shipped from Tasmania directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 45 Tarocco variety, Sanguinello variety and Moro variety of sweet orange shipped from Italy directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 46 Live tubers of potato shipped from United States of America directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 47 Tomato shipped from Mexico directly to Japan
- 48 Alphonso variety, Kesar variety, Chausa variety, Banganpalli variety, Mallika variety and Langra variety of mango shipped from India directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 49 Underground portions of live plants of the genera Anthurium shipped from Hawaiian Islands directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries

- 50 Harumanis variety of mango shipped from Malaysia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 51 Tommy Atkins variety of mango shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 52 *Hylocereus undatus* shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 53 Kent variety of mango shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 54 Barlinka variety of grape shipped from South Africa directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 55 *Hylocereus undatus* shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 56 Grapefruit and Lemon shipped from Turkey directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 57 Sindhri variety and Chaunsa variety of mango shipped from Pakistan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 58 Thong Dee variety of pomelo shipped from Thailand directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 59 Crimson Seedless variety, Tompson Seedless variety and Red Globe variety of grape shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 60 Hass variety of avocado shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 61 Cát Chu variety of mango shipped from Viet Nam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 62 Pepper (capsicum) shipped from Canada directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 63 Indian jujube shipped from Taiwan directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 64 Hass variety of avocado shipped from Australia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 65 *Citrus unshiu* shipped from Peru directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 66 *Citrullus colocynthis* shipped from areas excluding Africa and is not moved through Africa.
- 67 *Cucurbita maxima* shipped from areas excluding Africa and is not moved through Africa.
- 68 Summer squash shipped from areas excluding Africa and is not moved through Africa.
- 69 Bottle gourd shipped from areas excluding Africa and is not moved through Africa.
70. Hass variety of avocado shipped from Colombia directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
71. Thieu variety of litchi shipped from Vietnam directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
72. Hass variety of avocado shipped from Israel directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
73. *Citrus sinensis*, *C. reticulata* × *C. sinensis*, *C. limon*, *C. paradisi*, *C. reticulata*, *C. clementina* shipped from Egypt directly to Japan and which meets the standards established by the Minister of Agriculture, Forestry and Fisheries
- 74. *Kedrostis hirtella* shipped from areas excluding Africa and is not moved through Africa.**
- 75. Ridge gourd (*Luffa acutangula*) shipped from areas excluding Africa and is not moved through Africa.**
- 76. Sponge gourd (*Luffa cylindrica* (syn. *Luffa aegyptiaca*)) shipped from areas excluding Africa and is not moved through Africa.**