

A Floristic Survey and Rare Species Assessment of Prairie
Pines Preserve, Lee County, Florida
Final Report
Contract #2645 Task 2

Steven W. Woodmansee and Jimi L. Sadle
Woodmansee@regionalconservation.org

October 4, 2004



Submitted by
The Institute for Regional Conservation
22601 S.W. 152 Avenue, Miami, Florida 33170
George D. Gann, Executive Director



Submitted to
Anik Smith
Conservation 2020 Land Stewardship Supervisor
Lee County Parks & Recreation
3410 Palm Beach Boulevard
Fort Myers, Florida 33916

Table of Contents

Introduction	02
Study Design	02
Results	02

Tables:

Table 1: The Habitats of Prairie Pines Preserve, Lee County	04
Table 2: The Vascular Plants of Prairie Pines Preserve, Lee County	05
Table 3: The Vascular Plants of Prairie Pines Preserve, Lee County by Genus	19
Table 4: The Rare Plants of Prairie Pines Preserve, Lee County	47
Table 5: The Rare Plant locations at Prairie Pines Preserve, Lee County	49
Citations	52

Cover photo: Depression marsh at Prairie Pines Preserve by the primary author.

Introduction:

Lee County Parks and Recreation manages Prairie Pines Preserve. Lee County possessed very little floristic data on Prairie Pines Preserve including floristic inventories, lists of rare plant species, lists of exotic species, or status of rare plant species. The Institute for Regional Conservation (“IRC”) was contracted to provide these data to Lee County on this property.

Study Design:

Survey Prairie Pines Preserve, owned by Lee County, producing a species list and collect occurrence data for agency listed rare species. Two biologists visit each habitat during each inventory period. Inventory periods take place four times within the year covering each flowering season, winter, spring, summer, and fall.

- a) Make list of all plant species on property.
- b) Estimate population sizes on a \log_{10} scale of all mature individuals of each plant species.
- c) Collect GPS coordinates for occurrences of rare plant species when they occupy small, discrete areas on each site.

Results:

Prairie Pines Preserve was visited by two IRC biologists December 2-4 & 17-18, 2003, April 20-22, July 6-8, and September 14-16, 2004. Within the Prairie Pines Preserve, a total of 503 native, naturalized, and cultivated exotic plant species were recorded in our surveys. Of these 422 (84%) are considered native to Lee County and 81 (16%) are considered exotic and naturalized, two are yet to be determined. Two additional non-native species *Opuntia ficus-indica* and *Vitex trifolia* were recorded as cultivated only, from dumped material, on the site. Of the exotic species found on the preserve, 33 were considered ruderal or potentially invasive. Potentially invasive species include *Acacia auriculiformis*, *Hemarthria altissima*, *Murdannia nudiflora*, *Panicum maximum*, *Pennisetum purpureum*, *Phoenix reclinata*, *Neyraudia reynaudiana*, *Syngonium podophyllum*, and *Vitex trifolia*. Of the native species recorded, 27 species determined to be ruderal only, 6 % of the native flora. Twenty-seven vascular plants listed as invasive or potentially invasive by the Florida Exotic Pest Plant Council (FLEPPC) were recorded at the site. All were found naturalized on the site. Taxonomy follows Wunderlin (1998) or Gann et al. (2004).

No plant species listed by the U.S. Fish and Wildlife Service were recorded. Seven plant species listed by the State of Florida as threatened or endangered were recorded. Three plant species listed by the Florida Natural Areas Inventory (FNAI) as critically imperiled (S1), imperiled (S2) or rare (S3) in Florida were recorded. Sixteen plant species considered critically imperiled (SF1) in South Florida by The Institute for Regional Conservation (Gann et al 2004) were recorded. One plant species, *Rubus cuneifolius*, ranked as critically imperiled

by IRC was downranked to imperiled as a result of this survey. Two plant species are newly recorded for South Florida (*Euthamia graminifolia* var. *hirtipes* and *Sahvia azurea*) and are now considered critically imperiled to this region. Twenty-five rare plant species were recorded (Table 4), 6% of the native plant species recorded.

If determinations could not be made in the field, plants were new to Lee County, or documentation of unusual species was deemed important plants were vouchered. These collections are deposited at Fairchild Tropical Botanic Garden in Coral Gables, FL. A total of 101 collections were made at the preserve and include 91 species.

A total of 9 habitats were surveyed during this study (Table 1). Habitats follow guidelines provided by the Florida Natural Areas Inventory and Florida Department of Natural Resources (FNAI, 2004) or The Institute for Regional Conservation (Gann et al., 2004). Habitats surveyed include: basin marsh, bayhead, depression marsh, disturbed upland (including roadside), disturbed wetland, mesic flatwoods, prairie hammock, wet flatwoods, and wet prairie. Bayhead is a habitat newly reported for Prairie Pines Preserve.

The compiled plant list is provided in two formats. Table 2 provides a list of vascular plants recorded at the site arranged by group, family, and then genus/species. Common names and native status are also provided here. Table 3 provides a list of vascular plants recorded at the site arranged by genus/species with common names. In Table 3, native status, state status, FNAI status, IRC status, FL EPPC status, habitat location, and collector/collector # are provided. Also in Table 3, population size estimates on a \log_{10} scale of each of these species are noted. Table 4 provides a list of rare plants recorded at the site. Table 5 provides a list of rare species with GPS coordinates in decimal degrees for discrete locations, and a description of where the plants were observed.

An electronic copy of this report and a plant list with the above information in excel format is also provided and also includes Herbarium Label data for those plants collected.

Table 1:

The Habitats of Prairie Pines Preserve

The following are habitat descriptions for the 9 habitats encountered in the 2003-2004 survey of Prairie Pines Preserve.

Basin Marsh: Large basin with peat substrate; seasonally inundated; temperate or subtropical; frequent fire; sawgrass and/or cattail and/or buttonbush and/or mixed emergents (FNAI 2004).

Bayhead: Wetland with peat substrate; usually saturated and occasionally inundated; subtropical; rare or no fire; bays and/or dahoon holly, cocoplum, wax myrtle, and other hardwoods. This category is not used by the Florida Natural Areas Inventory and has been added (Gann et al., 2001).

Depression Marsh: Small rounded depression in sand substrate with peat accumulating toward center; seasonally inundated, still water; subtropical or temperate; frequent or occasional fire; maidencane, fire flag, pickerelweed, and mixed emergents, may be in concentric bands (FNAI 2004).

Disturbed Upland (including Roadside): Includes areas such as roadsides, agricultural fields, or thickets. This category is not used by the Florida Natural Areas Inventory and has been added (Gann et al., 2004).

Disturbed Wetland: Includes disturbed wet areas such as ditches, canals, and borrow pits. This category is not used by the Florida Natural Areas Inventory and has been added (Gann et al., 2004).

Mesic Flatwoods: Flatland with sand substrate; mesic; subtropical or temperate; frequent fire; slash pine and/or longleaf pine with saw palmetto, gallberry and/or wiregrass or cutthroat grass understory (FNAI 2004).

Prairie Hammock: Flatland with sand/organic soil over marl or limestone substrate; mesic; subtropical; occasional or rare fire; live oak and/or cabbage palm. (FNAI 2004).

Wet Flatwoods: Flatland with sand substrate; seasonally inundated; subtropical or temperate; frequent fire; vegetation characterized by slash pine or pond pine and/or cabbage palm with mixed grasses and herbs (FNAI 2004).

Wet Prairie: Flatland with sand substrate; seasonally inundated; subtropical or temperate; annual or frequent fire; maidencane, beakrush, spikerush, wiregrass, pitcher plants, St. John's wort, mixed herbs. (FNAI 2004).

Table 2:
The Vascular Plants of
Prairie Pines Preserve, Lee County



The Institute for Regional Conservation
Miami, Florida

Compiled from field observations made by Steven W. Woodmansee and Jimi L. Sadle between December 2nd, 2003 and September 16th, 2004.

Dicots

Acanthaceae

E	<i>Blechum pyramidatum</i>	Green shrimpplant, Browne's blechum
	<i>Dyschoriste oblongifolia</i>	Common twinflower, Oblongleaf twinflower
	<i>Elytraria caroliniensis</i> var. <i>angustijolia</i>	Narrowleaf Carolina scalystem
	<i>Ruellia succulenta</i>	Thickleaf wild petunia
	<i>Stenandrium dulce</i>	Pinklet

Aceraceae

	<i>Acer rubrum</i>	Red maple
--	--------------------	-----------

Amaranthaceae

E	<i>Alternanthera philoxeroides</i>	Alligatorweed
	<i>Amaranthus australis</i>	Southern water-hemp, Southern amaranth
E	<i>Amaranthus spinosus</i>	Spiny amaranth
E	<i>Gomphrena serrata</i>	Globeamaranth
	<i>Iresine diffusa</i>	Bloodleaf, Juba's bush

Anacardiaceae

	<i>Rhus copallina</i>	Winged sumac
E	<i>Schinus terebinthifolius</i>	Brazilian-pepper
	<i>Toxicodendron radicans</i>	Eastern poison-ivy

Annonaceae

	<i>Annona glabra</i>	Pond-apple
	<i>Asimina reticulata</i>	Common pawpaw, Netted pawpaw

Apiaceae

	<i>Centella asiatica</i>	Coinwort, Spadefield
	<i>Cyclospermum leptophyllum</i>	Marsh parsley
	<i>Eryngium baldwinii</i>	Baldwin's eryngo
	<i>Eryngium yuccifolium</i>	Button snakeroot, Button rattlenakemaster
	<i>Hydrocotyle umbellata</i>	Manyflower marshpennywort
	<i>Oxypolis filiformis</i>	Water dropwort, Water cowbane

Apocynaceae

E	<i>Catharanthus roseus</i>	Madagascar-periwinkle
---	----------------------------	-----------------------

Aquifoliaceae

- Ilex cassine*
Ilex glabra

Dahoon holly, Dahoon
Gallberry, Inkberry

Araliaceae

- E *Schefflera actinophylla*

Australian umbrella tree

Asclepiadaceae

- Asclepias lanceolata*
Asclepias tuberosa
Asclepias verticillata
Sarcostemma clausum

Fewflower milkweed
Butterflyweed, Butterfly milkweed
Whorled milkweed
Whitevine, White twinevine

Asteraceae

- Acemella oppositifolia var. repens*
Ambrosia artemisiifolia
Aster adnatus
Aster carolinianus
Aster dumosus
Aster subulatus
Baccharis glomeruliflora
Baccharis halimifolia
Bidens alba var. radiata
Bigelowia nudata subsp. australis
Boltonia diffusa
Carphephorus carnosus
Carphephorus corymbosus
Carphephorus odoratissimus var. subtropicus
Chaptalia tomentosa
Cirsium horridulum
Cirsium nuttallii
Conyza canadensis var. pusilla
Coreopsis floridana
Coreopsis leavenworthii
Elephantopus elatus
E *Emilia fosbergii*
E *Emilia sonchifolia*
Erechtites hieracifolia
Erigeron quercifolius
Erigeron vernus
Eupatorium capillifolium
Eupatorium leptophyllum
Eupatorium mikanioides
Eupatorium mohrii
Eupatorium rotundifolium
Euthamia caroliniana
Euthamia graminifolia var. hirtipes
Flaveria linearis
Gnaphalium falcatum
Helenium pinnatifidum
Heterotheca subaxillaris
Hieracium megacephalon
Iva microcephala
Lactuca graminifolia
- Oppositeleaf spotflower
Common ragweed
Clasping aster, Scaleleaf aster
Climbing aster
Rice button aster
Annual saltmarsh aster
Silverling
Saltbush, Groundsel tree, Sea-myrtle
Spanish-needles
Southern pineland rayless goldenrod
Smallhead Doll's-daisy
Pineland chaffhead
Florida paintbrush, Coastalplain chaffhead
Pineland purple, False vanillaleaf
Woolly sunbonnets, Pineland daisy
Purple thistle
Nuttall's thistle
Dwarf Canadian horseweed
Florida tickseed
Leavenworth's tickseed
Florida elephant's-foot, Tall elephant's-foot
Florida tasselflower
Lilac tasselflower
Fireweed, American burnweed
Southern-fleabane, Oakleaf fleabane
Early whitetop fleabane
Dog-fennel
Falsefennel
Semaphore eupatorium, Semaphore thoroughwort
Mohr's thoroughwort
Roundleaf thoroughwort, False horehound
Slender goldenrod
Flattop goldenrod
Narrowleaf yellowtops
Cudweed, Narrowleaf purple everlasting
Southeastern sneezeweed
Camphorweed
Coastal plain hawkweed
Piedmont marshelder
Grassleaf lettuce

	<i>Liatris tenuifolia</i> var. <i>quadriflora</i>	Shortleaf gayfeather
	<i>Lygodesmia aphylla</i>	Roserush
	<i>Mikania cordifolia</i>	Florida Keys hempvine
	<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine
	<i>Pectis prostrata</i>	Spreading cinchweed
	<i>Pityopsis graminifolia</i>	Narrowleaf silkglass
	<i>Pluchea odorata</i>	Sweetscent
	<i>Pluchea rosea</i>	Rosy camphorweed
	<i>Pterocaulon pycnostachyum</i>	Blackroot
	<i>Rudbeckia hirta</i>	Blackeyed susan
	<i>Solidago fistulosa</i>	Pinebarren goldenrod
	<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
	<i>Solidago sempervirens</i>	Seaside goldenrod
	<i>Solidago stricta</i>	Narrow-leaved goldenrod, Wand goldenrod
	<i>Solidago tortifolia</i>	Twistedleaf goldenrod
E	<i>Sonchus asper</i>	Spiny sowthistle
E	<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
	<i>Verbesina virginica</i>	Frostweed, White crownbeard
	<i>Vernonia blodgettii</i>	Florida ironweed
E	<i>Vernonia cinerea</i>	Little ironweed
 <u>Boraginaceae</u>		
	<i>Heliotropium polyphyllum</i>	Pineland heliotrope
 <u>Brassicaceae</u>		
	<i>Lepidium virginicum</i>	Poor-man's-pepper, Virginia pepperweed
 <u>Buddlejaceae</u>		
	<i>Polypteron procumbens</i>	Rustweed, Juniperleaf
 <u>Cactaceae</u>		
CE	<i>Opuntia ficus-indica</i>	Spineless cactus
 <u>Campanulaceae</u>		
	<i>Lobelia glandulosa</i>	Glade lobelia
	<i>Lobelia paludosa</i>	White lobelia
 <u>Caryophyllaceae</u>		
	<i>Drymaria cordata</i>	West Indian chickweed, Drymary
 <u>Casuarinaceae</u>		
E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
 <u>Chenopodiaceae</u>		
	<i>Chenopodium ambrosioides</i>	Mexican tea
 <u>Chrysobalanaceae</u>		
	<i>Licania michauxii</i>	Gopher-apple
 <u>Cistaceae</u>		
	<i>Helianthemum corymbosum</i>	Pinebarren frostweed
	<i>Lechea torreyi</i>	Piedmont pinweed
 <u>Clusiaceae</u>		
	<i>Hypericum brachyphyllum</i>	Coastalplain St. John's-wort
	<i>Hypericum cistifolium</i>	Roundpod St. John's-wort
	<i>Hypericum fasciculatum</i>	Sandweed, Peelbark St. John's-wort

<i>Hypericum gentianoides</i>	Pineweeds, Orangegrass
<i>Hypericum hypericoides</i>	St. Andrew's-cross
<i>Hypericum mutilum</i>	Dwarf St. John's-wort
<i>Hypericum myrtifolium</i>	Myrtleleaf St. John's-wort
<i>Hypericum reductum</i>	Atlantic St. John's-wort
<i>Hypericum tetrapetalum</i>	Fourpetal St. John's-wort
 <u>Convolvulaceae</u>	
<i>Evolvulus sericeus</i>	Silver dwarf morningglory
<i>Ipomoea cordatotriloba</i>	Tievine
<i>Ipomoea sagittata</i>	Everglades morningglory
 <u>Cucurbitaceae</u>	
<i>Melothria pendula</i>	Creeping-cucumber
E <i>Momordica charantia</i>	Wild balsam-apple, Balsampear
 <u>Droseraceae</u>	
<i>Drosera brevifolia</i>	Dwarf sundew
<i>Drosera capillaris</i>	Pink sundew
 <u>Ebenaceae</u>	
<i>Diospyros virginiana</i>	Persimmon, Common persimmon
 <u>Ericaceae</u>	
<i>Bejaria racemosa</i>	Tarflower
<i>Gaylussacia dumosa</i>	Dwarf black-huckleberry, Dwarf huckleberry
<i>Lyonia fruticosa</i>	Coastalplain staggerbush
<i>Lyonia lucida</i>	Fetterbush
<i>Vaccinium myrsinites</i>	Shiny blueberry
 <u>Euphorbiaceae</u>	
<i>Chamaesyce blodgettii</i>	Limestone sandmat
<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
<i>Chamaesyce hyssopifolia</i>	Eyebane, Hyssopleaf sandmat
<i>Chamaesyce thymifolia</i>	Gulf sandmat
<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
<i>Croton glandulosus</i>	Vente conmigo
<i>Euphorbia inundata</i>	Florida pineland spurge
<i>Euphorbia polypylla</i>	Pineland euphorbia, Lesser Florida spurge
<i>Phyllanthus amarus</i>	Gale-of-wind, Carry-me-seed
<i>Phyllanthus caroliniensis subsp. <i>saxicola</i></i>	Rock Carolina leafflower
E <i>Phyllanthus tenellus</i>	Mascarene Island leafflower
<i>Stillingia aquatica</i>	Corkwood, Water toothleaf
<i>Stillingia sylvatica</i>	Queensdelight
 <u>Fabaceae</u>	
E <i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
E <i>Acacia auriculiformis</i>	Earleaf acacia
<i>Aeschynomene americana</i>	Shyleaf
E <i>Albizia lebbeck</i>	Woman's tongue, Rattlepod
<i>Centrosema virginianum</i>	Spurred butterfly-pea
<i>Chamaecrista fasciculata</i>	Partridge pea
<i>Chamaecrista nictitans var. <i>aspera</i></i>	Hairy partridge-pea
E <i>Crotalaria pallida var. <i>obovata</i></i>	Smooth rattlebox
<i>Crotalaria rotundifolia</i>	Rabbitbells

	<i>Dalea carnea</i>	Whitetassels
	<i>Desmodium incanum</i>	Beggar's-ticks
E	<i>Desmodium triflorum</i>	Threeflower ticktrefoil
	<i>Galactia ellottii</i>	Elliott's milkpea
	<i>Galactia regularis</i>	Eastern milkpea
	<i>Galactia volubilis</i>	Downy milkpea
E	<i>Indigofera hirsuta</i>	Hairy indigo
E	<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo
E	<i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
E	<i>Senna alata</i>	Candlestick plant
E	<i>Senna occidentalis</i>	Coffee senna, Septicweed
E	<i>Senna pendula var. glabrata</i>	Valamuerto
	<i>Sesbania herbacea</i>	Danglepod
	<i>Tephrosia spicata</i>	Spiked hoarypea
	<i>Vicia acutifolia</i>	Sand vetch, Fourleaf vetch
	<i>Vigna luteola</i>	Cow-pea, Hairy pod cowpea

Fagaceae

	<i>Quercus laurifolia</i>	Laurel oak, Diamond oak
	<i>Quercus minima</i>	Dwarf live oak
	<i>Quercus myrtifolia</i>	Myrtle oak
	<i>Quercus pumila</i>	Running oak
	<i>Quercus virginiana</i>	Virginia live oak

Gentianaceae

	<i>Sabatia bartramii</i>	Bartram's rosegentian
	<i>Sabatia brevifolia</i>	Shortleaf rosegentian
	<i>Sabatia grandiflora</i>	Largeflower rosegentian
	<i>Sabatia stellaris</i>	Rose-of-Plymouth

Haloraginaceae

	<i>Proserpinaca palustris</i>	Mermaid weed, Marsh mermaidweed
	<i>Proserpinaca pectinata</i>	Mermaid weed, Combleaf mermaidweed

Hydrophyllaceae

	<i>Hydrolea corymbosa</i>	Skyflower
--	---------------------------	-----------

Lamiaceae

	<i>Hyptis alata</i>	Musky mint, Clustered bushmint
E	<i>Hyptis pectinata</i>	Comb bushmint
	<i>Physostegia purpurea</i>	False dragonhead, Eastern false dragonhead
	<i>Piloblepharis rigida</i>	Wild pennyroyal
	<i>Salvia azurea</i>	Blue sage, Azure blue sage

Lauraceae

	<i>Cassytha filiformis</i>	Lovevine, Devil's gut
	<i>Persea palustris</i>	Swamp bay

Lentibulariaceae

	<i>Pinguicula lutea</i>	Yellow butterwort
	<i>Pinguicula pumila</i>	Small butterwort
	<i>Utricularia cornuta</i>	Horned bladderwort
	<i>Utricularia foliosa</i>	Leafy bladderwort
	<i>Utricularia gibba</i>	Cone-spur bladderwort, Humped bladderwort
	<i>Utricularia purpurea</i>	Eastern purple bladderwort

<i>Utricularia radiata</i>	Little floating bladderwort
<i>Utricularia simulans</i>	Fringed bladderwort
<i>Utricularia subulata</i>	Zigzag bladderwort
<u>Linaceae</u>	
<i>Linum floridanum</i>	Florida yellow flax
<i>Linum medium</i> var. <i>texanum</i>	Stiff yellow flax
<u>Loganiaceae</u>	
<i>Mitreola petiolata</i>	Miterwort, Lax hornpod
<i>Mitreola sessilifolia</i>	Mitrewort, Swamp hornpod
<u>Lythraceae</u>	
<i>Ammannia latifolia</i>	Pink redstem, Toothcup
E <i>Cuphea carthagenensis</i>	Colombian waxweed
<i>Lythrum alatum</i> var. <i>lanceolatum</i>	Winged loosestrife
<i>Rotala ramosior</i>	Toothcup, Lowland rotala
<u>Malvaceae</u>	
<i>Sida acuta</i>	Common wireweed, Common fanpetals
E <i>Sida rhombifolia</i>	Cuban jute, Indian hemp
E <i>Urena lobata</i>	Caesarweed
<u>Melastomataceae</u>	
<i>Rhexia cubensis</i>	West Indian meadowbeauty
<i>Rhexia mariana</i>	Pale meadowbeauty, Maryland meadowbeauty
<i>Rhexia nuttallii</i>	Nuttall's meadowbeauty
<u>Menyanthaceae</u>	
<i>Nymphoides aquatica</i>	Big floatingheart
<u>Moraceae</u>	
<i>Ficus aurea</i>	Strangler fig, Golden fig
<u>Myricaceae</u>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>	
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>	
E <i>Melaleuca quinquenervia</i>	Punktree
E <i>Psidium cattleianum</i>	Strawberry guava
E <i>Rhodomyrtus tomentosa</i>	Downy myrtle, Rose myrtle
E <i>Syzygium cumini</i>	Jambolan-plum, Java-plum
<u>Nymphaeaceae</u>	
<i>Nymphaea elegans</i>	Blue waterlily, Tropical royalblue waterlily
<i>Nymphaea mexicana</i>	Yellow waterlily
<i>Nymphaea odorata</i>	American white waterlily
<u>Olacaceae</u>	
<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Onagraceae</u>	
<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissum
<i>Ludwigia alata</i>	Winged primrosewillow
<i>Ludwigia curtissii</i>	Curtiss's primrosewillow

	<i>Ludwigia linifolia</i>	Southeastern primrosewillow
	<i>Ludwigia maritima</i>	Seaside primrosewillow
	<i>Ludwigia microcarpa</i>	Smallfruit primrosewillow
	<i>Ludwigia octovalvis</i>	Mexican primrosewillow
E	<i>Ludwigia peruviana</i>	Peruvian primrosewillow
	<i>Ludwigia repens</i>	Creeping primrosewillow
Oxalidaceae		
	<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow woodsorrel
Passifloraceae		
	<i>Passiflora incarnata</i>	Maypop, Purple passionflower
	<i>Passiflora suberosa</i>	Corkystem passionflower
Phytolaccaceae		
	<i>Phytolacca americana</i>	American pokeweed
Plantaginaceae		
	<i>Plantago virginica</i>	Southern plantain, Virginia plantain
Polygalaceae		
	<i>Polygala balduinii</i>	Baldwin's milkwort
	<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
	<i>Polygala incarnata</i>	Procession flower
	<i>Polygala lutea</i>	Orange milkwort
	<i>Polygala nana</i>	Candyroot
	<i>Polygala ramosa</i>	Low pinebarren milkwort
	<i>Polygala setacea</i>	Coastalplain milkwort
Polygonaceae		
	<i>Polygonum densiflorum</i>	Denseflower knotweed
	<i>Polygonum hydropiperoides</i>	Mild water-pepper, Swamp smartweed
E	<i>Polygonum lapathifolium</i>	Pale smartweed, Curlytop knotweed
	<i>Polygonum punctatum</i>	Dotted smartweed
Portulacaceae		
	<i>Portulaca pilosa</i>	Pink purslane, Kiss-me-quick
Primulaceae		
	<i>Anagallis minima</i>	Chaffweed
	<i>Anagallis pumila</i>	Florida pimpernel
	<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed
	<i>Samolus valerandi</i> subsp. <i>parviflorus</i>	Pineland pimpernel, Seaside brookweed
Ranunculaceae		
	<i>Clematis baldwinii</i>	Pine-hyacinth
Rosaceae		
	<i>Rubus cuneifolius</i>	Sand blackberry
	<i>Rubus trivialis</i>	Southern dewberry
Rubiaceae		
	<i>Cephaelanthus occidentalis</i>	Common buttonbush
	<i>Diodia virginiana</i>	Buttonweed, Virginia buttonweed
	<i>Galium tinctorium</i>	Stiff marsh bedstraw
E	<i>Hedysotis corymbosa</i>	Flattop mille graines
	<i>Hedysotis procumbens</i>	Innocence, Roundleaf bluet

	<i>Hedyotis uniflora</i>	Clustered mille graine
E	<i>Richardia brasiliensis</i>	Tropical Mexican clover
	<i>Spermacoce assurgens</i>	Woodland false buttonweed
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed
	<u>Salicaceae</u>	
	<i>Salix caroliniana</i>	Coastal Plain willow
	<u>Sapindaceae</u>	
E	<i>Cupaniopsis anacardioides</i>	Carrotwood
	<u>Sapotaceae</u>	
	<i>Sideroxylon reclinatum</i>	Recline Florida bully
	<u>Scrophulariaceae</u>	
	<i>Agalinis fasciculata</i>	Beach false foxglove
	<i>Agalinis linifolia</i>	Flaxleaf false foxglove
	<i>Bacopa caroliniana</i>	Lemon hyssop, Lemon bacopa, Blue waterhyssop
	<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace
	<i>Buchnera americana</i>	American bluehearts
	<i>Gratiola hispida</i>	Rough hedgehyssop
	<i>Gratiola ramosa</i>	Branched hedgehyssop
	<i>Linaria canadensis</i>	Canada toadflax
E	<i>Lindernia crustacea</i>	Malaysian false-pimpernel
	<i>Lindernia grandiflora</i>	Savannah false-pimpernel
	<i>Mecardonia acuminata subsp. <i>peninsularis</i></i>	Axilflower
	<i>Micranthemum glomeratum</i>	Manatee mudflower
	<i>Scoparia dulcis</i>	Sweetbroom, Licoriceweed
	<i>Seymeria pectinata</i>	Piedmont blacksenna
	<u>Solanaceae</u>	
	<i>Physalis pubescens</i>	Husk tomato
	<i>Physalis walteri</i>	Walter's groundcherry
	<i>Solanum americanum</i>	Common nightshade, American black nightshade
E	<i>Solanum viarum</i>	Tropical soda-apple
	<u>Sterculiaceae</u>	
	<i>Melochia spicata</i>	Bretonica peluda
	<u>Turneraceae</u>	
	<i>Piriqueta caroliniana</i>	Pitted stripeseed
	<u>Ulmaceae</u>	
	<i>Celtis laevigata</i>	Sugarberry, Hackberry
	<u>Urticaceae</u>	
	<i>Parietaria floridana</i>	Florida pellitory
	<u>Verbenaceae</u>	
	<i>Callicarpa americana</i>	American beautyberry
E	<i>Lantana camara</i>	Shrubverbena
	<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
	<i>Verbena scabra</i>	Harsh verbena, Sandpaper vervain
CE	<i>Vitex trifolia</i>	Simpleleaf chastetree

<u>Violaceae</u>		
<i>Viola palmata</i>	Early blue violet	
<i>Viola sororia</i>	Common blue violet	
<u>Vitaceae</u>		
<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine	
<i>Vitis rotundifolia</i>	Muscadine	
<i>Vitis shuttleworthii</i>	Calusa grape	
<u>Gymnosperms</u>		
<u>Pinaceae</u>		
<i>Pinus elliottii var. densa</i>	South Florida slash pine	
<u>Monocots</u>		
<u>Alismataceae</u>		
<i>Sagittaria isoetiformis</i>	Quillwort arrowhead	
<i>Sagittaria lancifolia</i>	Bulltongue arrowhead	
<u>Amaryllidaceae</u>		
<i>Hymenocallis palmeri</i>	Alligatorlily	
<i>Nothoscordum bivalve</i>	False-garlic, Crowpoison	
<u>Araceae</u>		
E <i>Syngonium podophyllum</i>	Nephthytis, American evergreen	
<u>Arecaceae</u>		
E <i>Phoenix reclinata</i>	Senegal date palm	
<i>Sabal palmetto</i>	Cabbage palm	
<i>Serenoa repens</i>	Saw palmetto	
E <i>Syagrus romanzoffiana</i>	Queen palm	
<u>Bromeliaceae</u>		
<i>Tillandsia fasciculata var. densispica</i>	Stiff-leaved wild-pine, Cardinal airplant	
<i>Tillandsia recurvata</i>	Ball-moss	
<i>Tillandsia setacea</i>	Thin-leaved wild-pine, Southern needleleaf	
<i>Tillandsia usneoides</i>	Spanish-moss	
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant	
<u>Burmanniaceae</u>		
<i>Burmannia capitata</i>	Southern bluetthread	
<u>Cannaceae</u>		
<i>Canna flaccida</i>	Golden canna, Bandana-of-the-everglades	
<u>Commelinaceae</u>		
E <i>Commelina diffusa</i>	Common dayflower	
E <i>Commelina gambiae</i>	Gambian dayflower	
E <i>Murdannia nudiflora</i>	Nakedstem dewflower	
<u>Cyperaceae</u>		
<i>Carex longii</i>	Long's sedge	
<i>Carex vexans</i>	Florida hammock sedge	
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass	
<i>Cyperus articulatus</i>	Jointed flatsedge	
<i>Cyperus croceus</i>	Baldwin's flatsedge	

	<i>Cyperus distinctus</i>	Distinct flatsedge, Swamp flatsedge
	<i>Cyperus flavescens</i>	Yellow flatsedge
	<i>Cyperus haspan</i>	Haspan flatsedge
	<i>Cyperus ligularis</i>	Swamp flatsedge
	<i>Cyperus odoratus</i>	Fragrant flatsedge
	<i>Cyperus polystachyos</i>	Manyspike flatsedge
	<i>Cyperus retrorsus</i>	Pinebarren flatsedge
	<i>Cyperus surinamensis</i>	Tropical flatsedge
	<i>Eleocharis baldwinii</i>	Baldwin's spikerush, roadgrass
	<i>Eleocharis cellulosa</i>	Gulf Coast spikerush
	<i>Eleocharis geniculata</i>	Canada spikerush
	<i>Eleocharis interstincta</i>	Knotted spikerush
	<i>Fimbristylis autumnalis</i>	Slender fimbry
	<i>Fimbristylis gymosa</i>	Hurricane sedge, Hurricanegrass
	<i>Fimbristylis dichotoma</i>	Forked fimbry
	<i>Fimbristylis puberula</i>	Hairy fimbry
	<i>Fuirena breviseta</i>	Saltmarsh umbrellasedge
	<i>Fuirena scirpoidea</i>	Southern umbrellasedge
E	<i>Kyllinga brevifolia</i>	Shortleaf spikesedge
E	<i>Lipocarpha aristulata</i>	Awned halfchaff sedge
	<i>Rhynchospora baldwinii</i>	Baldwin's beaksedge
	<i>Rhynchospora colorata</i>	Starrush whitetop
	<i>Rhynchospora divergens</i>	Spreading beaksedge
	<i>Rhynchospora fascicularis</i>	Fascicled Beaksedge
	<i>Rhynchospora filifolia</i>	Threadleaf beaksedge
	<i>Rhynchospora globularis</i>	Globe beak-rush
	<i>Rhynchospora inundata</i>	Narrowfruit horned beaksedge
	<i>Rhynchospora latifolia</i>	Giant whitetop
	<i>Rhynchospora microcarpa</i>	Southern beaksedge
	<i>Rhynchospora nitens</i>	Shortbeak beaksedge
	<i>Rhynchospora odorata</i>	Fragrant beaksedge
	<i>Rhynchospora plumosa</i>	Plumed beaksedge
	<i>Rhynchospora tracyi</i>	Tracy's beaksedge
	<i>Schoenus nigricans</i>	Black sedge, Black bogrush
	<i>Scleria baldwinii</i>	Baldwin's nutrush
	<i>Scleria ciliata</i>	Fringed nutrush
	<i>Scleria ciliata</i> var. <i>panciformis</i>	Fewflower nutrush
	<i>Scleria georgiana</i>	Slenderfruit nutrush
	<i>Scleria triglomerata</i>	Whip nutrush
	<i>Scleria verticillata</i>	Low nutrush
Eriocaulaceae		
	<i>Eriocaulon compressum</i>	Flattened pipewort
	<i>Eriocaulon decangulare</i>	Tangle pipewort
	<i>Eriocaulon ravenelii</i>	Ravenel's pipewort
	<i>Lachnocaulon anceps</i>	Whitehead bogbutton
	<i>Syngonanthus flavidulus</i>	Yellow hatpins
Haemodoraceae		
	<i>Lachnanthes caroliniana</i>	Bloodroot, Carolina redroot
Hypoxidaceae		
	<i>Hypoxis juncea</i>	Fringed Yellow stargrass

<u>Iridaceae</u>	<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass
<u>Juncaceae</u>		
<i>Juncus effusus var. solutus</i>	Soft rush	
<i>Juncus marginatus</i>	Shore rush, Grassleaf rush	
<i>Juncus megacephalus</i>	Bighead rush	
<i>Juncus polyccephalus</i>	Manyhead rush	
<i>Juncus repens</i>	Lesser creeping rush	
<i>Juncus roemerianus</i>	Black needle rush, Needle rush, Black rush	
<i>Juncus scirpoides</i>	Needlepod rush	
<u>Lemnaceae</u>		
<i>Lemna obscura</i>	Little duckweed	
<i>Spirodela polyrhiza</i>	Common duckweed	
<u>Liliaceae</u>		
<i>Aletris lutea</i>	Yellow colicroot	
<i>Lilium catesbaei</i>	Catesby's lily, Pine lily	
<i>Schoenolirion albiflorum</i>	Sunnybells, White sunnybell	
<u>Marantaceae</u>		
<i>Thalia geniculata</i>	Alligatorflag, Fireflag	
<u>Najadaceae</u>		
<i>Najas guadalupensis</i>	Southern waternymph	
<u>Orchidaceae</u>		
<i>Calopogon pallidus</i>	Pale grasspink	
<i>Eulophia alta</i>	Wild-coco	
<i>Habenaria floribunda</i>	Rein orchid, Toothpetal false reinorchid	
<i>Habenaria quinqueseta</i>	Longhorn false reinorchid	
<i>Sacoila lanceolata</i>	Leafless beaked lady's-tresses	
<i>Spiranthes longilabris</i>	Longlip lady's-tresses	
<i>Spiranthes vernalis</i>	Spring lady's-tresses	
<u>Poaceae</u>		
<i>Amphicarpum muhlenbergianum</i>	Blue-maidencane	
<i>Andropogon glomeratus var. glaucoptis</i>	Purple bluestem	
<i>Andropogon glomeratus var. hirsutior</i>	Hairy bushy bluestem	
<i>Andropogon glomeratus var. pumilus</i>	Common bushy bluestem	
<i>Andropogon gyrans</i>	Elliott's bluestem	
<i>Andropogon longiberbis</i>	Hairy bluestem	
<i>Andropogon virginicus var. decipiens</i>	Chalky bluestem	
<i>Andropogon virginicus var. glaucus</i>	Southern wiregrass	
<i>Aristida beyrichiana</i>	Longleaf threeawn	
<i>Aristida palustris</i>	Arrowfeather threeawn	
<i>Aristida purpurascens</i>	Bottlebrush threeawn	
<i>Aristida spiciformis</i>	Common carpetgrass	
<i>Axonopus fissifolius</i>	Big carpetgrass	
<i>Axonopus furcatus</i>	Coastal sandbur	
<i>Cenchrus incertus</i>	Wrinkled jointtail grass	
<i>Coelorachis rugosa</i>	Bermuda grass	
E <i>Cynodon dactylon</i>	Crow's-foot grass, Durban crowfootgrass	
E <i>Dactyloctenium aegyptium</i>	Needleleaf witch grass	

	<i>Dichanthelium commutatum</i>	Variable witchgrass
	<i>Dichanthelium dichotomum</i>	Cypress witchgrass
	<i>Dichanthelium ensifolium</i>	Cypress witchgrass
	<i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i>	Cypress witchgrass
	<i>Dichanthelium erectifolium</i>	Erectleaf witchgrass
	<i>Dichanthelium leucothrix</i>	Rough witchgrass
	<i>Dichanthelium portoricense</i>	Hemlock witchgrass
	<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
	<i>Digitaria horizontalis</i>	Jamaican crabgrass
	<i>Digitaria longiflora</i>	Indian crabgrass
	<i>Digitaria pentzii</i>	Pangola grass
	<i>Echinochloa muricata</i>	Rough barnyardgrass
E	<i>Echinochloa walteri</i>	Coast cockspur
	<i>Elionurus tripsacoides</i>	Pan-American balsamscale
E	<i>Eragrostis atrovirens</i>	Thalia love grass
	<i>Eragrostis elliottii</i>	Elliott's love grass
	<i>Eragrostis spectabilis</i>	Purple love grass
	<i>Eragrostis virginica</i>	Coastal love grass
	<i>Eustachys glauca</i>	Prairie fingergrass, Saltmarsh fingergrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
E	<i>Hemarthria altissima</i>	Limpograss
	<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
E	<i>Imperata cylindrica</i>	Congongrass, Cogongrass
	<i>Leersia hexandra</i>	Southern cutgrass
	<i>Leptochloa fascicularis</i>	Bearded spangletop, Bearded sprangletop
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E	<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
	<i>Panicum dichotomiflorum</i>	Fall panic grass
	<i>Panicum hemitomon</i>	Maidencane
	<i>Panicum hians</i>	Gaping panicum
E	<i>Panicum maximum</i>	Guineagrass
E	<i>Panicum repens</i>	Torpedo grass
	<i>Panicum rigidulum</i>	Redtop panicum
	<i>Panicum tenerum</i>	Bluejoint panicum
	<i>Panicum virgatum</i>	Switchgrass
	<i>Paspalidium geminatum</i>	Egyptian paspalidium
	<i>Paspalum conjugatum</i>	Sour paspalum, Hilograss
E	<i>Paspalum dissectum</i>	Mudbank crowngrass
	<i>Paspalum floridanum</i>	Florida paspalum
	<i>Paspalum monostachyum</i>	Gulfdune paspalum
E	<i>Paspalum notatum</i>	Bahia grass
	<i>Paspalum praecox</i>	Early paspalum
	<i>Paspalum repens</i>	Water paspalum
	<i>Paspalum setaceum</i>	Thin paspalum
E	<i>Paspalum urvillei</i>	Vasey grass
	<i>Paspalum vaginatum</i>	Seashore paspalum
E	<i>Penisetum purpureum</i>	Napier grass, Elephantgrass
	<i>Phragmites australis</i>	Common reed
E	<i>Rhynchospora repens</i>	Rose Natalgrass
	<i>Saccharum giganteum</i>	Sugarcane plumegrass
E	<i>Sacciolepis indica</i>	Indian cupscale
	<i>Sacciolepis striata</i>	American cupscale
	<i>Schizachyrium rhizomatum</i>	Rhizomatous bluestem

	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Sorghastrum secundum</i>	Lopsided Indian grass
	<i>Spartina bakeri</i>	Sand cordgrass
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus juncus</i>	Pineywoods dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
	<i>Tripsacum dactyloides</i>	Eastern gamagrass, Fakahatchee grass
E	<i>Urochloa mutica</i>	Paragrass

Pontederiaceae

	<i>Pontederia cordata</i>	Pickerelweed
--	---------------------------	--------------

Smilacaceae

	<i>Smilax auriculata</i>	Earleaf greenbrier
	<i>Smilax bona-nox</i>	Saw greenbrier

Typhaceae

	<i>Typha domingensis</i>	Southern cat-tail
--	--------------------------	-------------------

Xyridaceae

	<i>Xyris ambigua</i>	Coastalplain yelloweyed grass
	<i>Xyris brevifolia</i>	Shortleaf yelloweyed grass
	<i>Xyris calcicola</i>	Limestone yelloweyed grass
	<i>Xyris caroliniana</i>	Carolina yelloweyed grass
	<i>Xyris difformis</i> var. <i>floridana</i>	Florida yelloweyed grass
	<i>Xyris ellottii</i>	Elliott's yelloweyed grass
	<i>Xyris flabelliformis</i>	Savannah yelloweyed grass
E	<i>Xyris jupicai</i>	Richard's yelloweyed grass
	<i>Xyris smalliana</i>	Small's yelloweyed grass

Pteridophytes

Azollaceae

	<i>Azolla caroliniana</i>	Carolina Mosquito Fern
--	---------------------------	------------------------

Blechnaceae

	<i>Blechnum serrulatum</i>	Swamp fern, Toothed midsorus fern
	<i>Woodwardia virginica</i>	Virginia chain fern

Dennstaedtiaceae

	<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
	<i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i>	Tailed braken fern

Lycopodiaceae

	<i>Lycopodiella cernua</i>	Nodding club-moss
--	----------------------------	-------------------

Nephrolepidaceae

	<i>Nephrolepis exaltata</i>	Wild Boston fern
E	<i>Nephrolepis multiflora</i>	Asian sword fern

Osmundaceae

	<i>Osmunda cinnamomea</i>	Cinnamon fern
--	---------------------------	---------------

Parkeriaceae

E	<i>Ceratopteris thalictroides</i>	Watersprite
---	-----------------------------------	-------------

<u>Polypodiaceae</u>		
	<i>Phlebodium aureum</i>	Golden polypody
	<i>Pleopeltis polypodioides var. michauxiana</i>	Resurrection fern
<u>Psilotaceae</u>		
	<i>Psilotum nudum</i>	Whisk-fern
<u>Pteridaceae</u>		
E	<i>Acrostichum danaeifolium</i>	Giant leather fern
	<i>Pteris vittata</i>	China brake
<u>Salviniaceae</u>		
E	<i>Salvinia minima</i>	Water spangles
<u>Schizaceae</u>		
E	<i>Lygodium microphyllum</i>	Small-leaf climbing fern
<u>Thelypteridaceae</u>		
E	<i>Thelypteris dentata</i>	Downy maiden fern
	<i>Thelypteris kunthii</i>	Southern shield fern
<u>Vittariaceae</u>		
	<i>Vittaria lineata</i>	Shoestring fern

E = Not Native to the site

CE = Not Native to the site, persisting from cultivation only

Citations:

Florida Natural Areas Inventory. 2004. Florida Natural Areas Inventory website. www.FNAI.org. Tallahassee, Florida.

Gann, G.D., K.A. Bradley, S.W. Woodmansee, and J.L. Sadle. 2001-2004. Floristic Inventory of South Florida Database. www.regionalconservation.org. The Institute for Regional Conservation, Miami, Florida.

Wunderlin, R.P. 1998. Guide to the Vascular Plants of Florida. Gainesville: University Presses of Florida.

Wunderlin, R. P., and B. F. Hansen. 2004. Atlas of Florida Vascular Plants (<http://www.plantatlas.usf.edu/>).[S. M. Landry and K. N. Campbell (application development), Florida Center for Community Design and Research.] Institute for Systematic Botany, University of South Florida, Tampa.